

DAFTAR PUSTAKA

- Abdou, E. S., Nagy, K. S. A. & Elsabee, M. Z. (2008). Extraction and Characterization of Chitin and Chitosan from Local Sources. *Bioresource Technology*, 99, 1359-1368.
- Abdulkarim, A., Isa, M. T., Abdulsalam, S., Muhammad, A. J. & Ameh, A. O. (2013). Extraction and Characterization of Chitin and Chitosan from Mussel Shell. *Civil and Environmental Research*, 3(2), 108- 114.
- Agustina, Sry., Dira Swantara, Madedan Suartha, Nyoman. Isolasi Kitin, Karakterisasi, dan Sintesis Kitosan dari Kulit Udang. *Jurnal Kimia*. 2015. 9(2): 271-278
- Agustina, sry; swantara I made dira dan suwasta, I nyoman .Isolasi Kitin, Karakteristik, dan Sintesis Kitosan dari Kulit Udang. *Jurnal Kimia*. 2015. 271-278.
- Ahmed, Enas M. (2015). Hydrogel: Preparation, characterization, and applications: A review. *Journal Of Advanced Research*. 6: 105-121.
- Akakuru OU and Isiuku BO. Chitosan Hydrogels and their Glutaraldehyde-Crosslinked Counterparts as Potential Drug Release and Tissue Engineering Systems-Synthesis, Characterization, Swelling Kinetics and Mechanism. *J Phys Chem Biophys* .2017. Volume 7, Issue 3.
- Alam, G., Singh M.P., and Singh, A. (2011). Wound Healing Potensial Of Some Medical Plants. *Int J Pharm. Sci. Rev and Res*. 9 (1) : 136-145.
- Alishahi, A., Mirvaghefi, A., Tehrani, M. R., Farahmunh, H., Shojaosadati, S. A., Dorkoosh, F. A. & Maher, Z. E. (2011). Enhancement and Characterization of Chitosan Extraction from the Wastes of Shrimp Packaging Plants. *Journal Polymer Environment*, 19, 776-783.
- Al-Sagheer, F. A., Al-Sughayer, M. A., Muslim, S. & Elsabee, M. Z. (2009). Extraction and Characterization of Chitin and Chitosan from Marine Sources in Arabian Gulf. *Carbohydrate Polymers*, 77, 410-419.
- Aprilia R. 2008. Analisis Produksi Fosfatase Alkali oleh Osteoblas yang Distimuli Graft Berbentuk Pasta pada Berbagai Komposisi, Konsentrasi dan Waktu yang Berbeda (In Vitro). Jakarta: FKG UI
- Asa, Faiq N.M, dkk., (2016). Pembuatan Komposit Kolagen Fibril-Alginat sebagai Kandidat Membran Hidrogel *Skin Substitute. Jurnal*. Surabaya: 5-6
- Association of Official Analytical Chemist (AOAC). (2005). *Official Methods of Analysis (18 Edn)*. Mayland (US): Published by The Association of Official Analytical Chemist Inc.

- Blagodatskikh, I. V., Kulikov, S. N., Vyshivannaya, O. V., Bezrodnykh, E. A., Yamskov, I. A. & Tikhonov, V. E. (2013). Influence of Glucosamine on Oligochitosan Solubility and Antibacterial Activity. *Carbohydrate Research*, 381, 28-32
- Borena, B.M.; Martens, A.; Broeckx, S.Y.; Meyer, E.; Chiers, K.; Duchateau, L.; Spaas, J.H. Regenerative Skinwound healing in mammals: State-of-the-art on growth factor and stem cell based treatments. *Cell. Physiol.Biochem*.2015,36, 1–23
- Dorantes, Luis Cañedodan Ayala, Mara Cañedo. Skin Acute Wound Healing: A Comprehensive Review. *International Journal of Inflammation*. 2019.
- Gaikward B. V, Koli J. M., A.S. Desai. Isolation and characterization of chitosan from crab (*Scylla serrata*) shell waste. *IJSAR*. 2015. 2(8):78-84
- Gierszewska-Drużyńska M, Ostrowska-Czubenko J (2015).Structual and swelling properties of hydrogel membranes based on chitosan crosslinkedwith glutaraldehyde and sodium tripolyphosphate. *Progress on Chemistry andApplication of Chitin and its Derivatives* 20: 43-53.
- M.R. Hwang, J.O. Kim, J.H. Lee, Y.I. Kim, J.H. Kim, S.W. Chang, et al., Gentamicin-loaded wound dressing with polyvinyl alcohol/dextran hydrogel: gel character-ization and in vivo healing evaluation *AAPS. PharmSciTech*.2010. 11 (3) 1092–1103.
- MansjoerA,2000.Kapita Selekt Kedokteran.Edke3.Media Aesculapius.Fakultas Kedokteran Universitas Indonesia. Jakarta.
- Mappa, T.,Edy, H.J., dan Kojong, N.(2013). Formulasi Gel Ekstrak DaunSasaladahan (Peperomia Pellucida(L) H.B.K) Dan Uji EfektivitasnyaTerhadap Luka Bakar Pada Kelinci. *Pharmacon:Jurnal Ilmiah Farmasi*.2(2):49-55.
- Martinus, Aria, Mimi., Aulia, Muhammad Fajri. 2019. Pengaruh Pemberian Salep Ekstrak Etanol DaunPiladang (Solenostemonscutellarioides(L).Codd) Selama 15 Hari Secara Topikal terhadap Aktivitas Penyembuhan Luka Eksisi pada Tikus Putih Jantan. *SCIENTIAJ. Far. Kes*. 9(2) ; 192-203.
- Matsuda, H., Masuda, M., Murata, K., Abe, Y., Uwaya, A. (2013).*Study of the Anti-Photoaging Effect of Noni (Morinda citrifolia)*.Book Sitation Indeks. Croatia: Melanoma-From Early Detection to Treatment. 644.
- Mekawati, F. E., dan D. Sumardjo. 2000. Aplikasi Kitosan Hasil Tranformasi Kitin Limbah Udang (Penaeus merguensis) untuk Adsorpsi Ion Logam Timbal. *Jurnal Sains and Matematika, FMIPA Undip*. Semarang. Vol. 8 (2), hal.51-54
- Nather, A., Zameer, A., 2005. Bone Grafts And Bone Substitutes -Basic Science and Clinical Applications. World Scientific Publishing Co. Pte. Ltd

- Pebri IG, Rinidar, Amiruddin. 2017. Pengaruh pemberian ekstrak daun binahong (*Anredera cordifolia*) terhadap proses penyembuhan luka insisi (*Vulnus incisivum*) pada mencit (*Mus musculus*). *JIMVET-E* 2 (1): 01-11.
- Prastika, Dinda Dwi., Setiawan, Boedi., Saputro, Amung Logam.,Yudaniayanti, Ira Sari., Wibawati, Prima Ayu., Fikri ,Faisal. Pengaruh Kitosan Udang Secara Topikal Terhadap Kepadatan Kolagen dalam Penyembuhan Luka Eksisi pada Tikus Putih.*J Med Vet.*2020. 3(1):101-107.
- Putra, D.A.C., Lutfiyati, H.,danPribadi, P.(2017).Efektifitas Gel Ekstrak DaunPisang (*Musa paradisiaca*L.) Untuk Penyembuhan Luka.*Pharmaciana.*7(2):177-184.
- Schiavon, M.; Francescon, M.; Drigo, D.; Salloum, G.; Baraziol, R.; Tesei, J.; Fraccalanza, E.; Barbone, F.The Use of Integra Dermal Regeneration Template Versus Flaps for Reconstruction of Full-Thickness Scalp Defects Involving the Calvaria: A Cost-Benefit Analysis. *Aesthet.Plast. Surg.* 2016, 40, 901–907.
- Shanmugam, Annaian., Kathiresan, Kandasamy., Nayak, Lakshman. Preparation, characterization and antibacterial activity of chitosan and phosphorylated chitosan from cuttlebone of *Sepia kobsi* (Hoyle, 1885).*Biotechnology Reports* 9. 2016. 25–30.
- Shanmugam, Annaian., Kathiresan, Kandasamy., Nayak, Lakshman. Preparation, characterization and antibacterial activity of chitosan and phosphorylated chitosan from cuttlebone of *Sepia kobsi* (Hoyle, 1885).*Biotechnology Reports*. 2016. (9) 25–30.
- Surini and Auliyya.(2017). Formulation Of An Anti-Wrinkle Hydrogel Face Mask Containing Ethanol Extract of Noni Fruit (*Morinda Citrifolia* L) For Use As A Nutracosmeceutical Product. *Journal.Faculty of Pharmacy, Universitas Indonesia*. Depok: 9(1): 74-75
- Thakur, R., Jain, N., Pathak, R., and Shandu, S.S. (2011).Practices in Wound Healing Studies of Plant.Evidence-Based Comp and Alt Med. 2011 (1) :1-17
- Theoret C. 2017. Chapter 1 Physiology of wound healing in Equine Wound Management. 3thEd. John Wiley and Sons Inc.
- Zhao F, Yin Y, Lu W, Leong J, Zhang W, Zhang J, Zhang M, Kangde K. 2002. Preparation and histological evaluation of biomimetic three-dimensional hydroxyapatite/chitosan-gelation network composite scaffolds. *Biomaterials* 23:3227-3234.